5A&I 1-4040 (201)	Z)
-------------------	----

Pontotoc		County, Oklahoma
COUNTY PURCHA	SING OFFICE	<del></del>
Pontotoc County	Clerk	
301 S Broadway	Ada	, Oklahoma
Phone Number	+1 (580) 332-8977	

#### **Invitation to Bid**

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE RELATING TO SUBMISSION OF THIS BID.

Notarized Affidavit completions and signature required on reverse side.

Date Issued Mar 17, 2025

Page 1 of 2

#25-17

BID CLOSING DATE AND HOUR

April 7, 2025

9:00 AM

(Days after award of Purchase Order)

Date of Delivery

#### **TERMS**

IMMEDIATE

ITEM	QUANTITY	UNIT OF	DESCRIPTION	UNIT PRICE	TOTAL
			Purchase one or more, 2022 or newer, motor graders with a financing option.  Specifications for bid are attached.	\$240,00 *per u	
1	1	1	Department: Pontotoc County Commissioners Office Hours: 8:00 AM - 4:00 PM Contact: Victor Bolen/District #3 Commissioner 580.272.8487 Return Bids To: Pontotoc County Clerk		4)
			301 S Broadway * Ada, OK 74820 or PO-BOX 1425 * Ada, OK 74821-1425 Instructions:	See attaction details option.	hed quotes and finance
			1. Please write sealed Bid #25-17 on the outside of the envelope, 2. Vendor's bid amount must be listed on the front of this form. 3. Invitation to Bid form must be notarized and original bid form submitted.	2 Units a quoted p	vailable at rice.
			Please verify notarization has been correctly and fully executed.     Failure to do so will result in rejection of bid. See item #7 under Terms and Conditions.		
			The Board of Pontotoc County Commissioners reserve the right to accept or reject any or all bids.		
				3	

### **TERMS and CONDITIONS**

1.	Sealed bids will be opened in the Com	nmissioner's Conference Roc		
	County Courthouse, Ada		, Oklahoma, at the	time and date shown on the
	invitation to bid form.			
2.	Late bids will not be considered. Bids closing date written on the outside of	must be received in sealed the envelope.	envelopes (one to an envelop	e) with bid number and
3.	Unit prices will be guaranteed correct	by the bidder.		
4.	Firm prices will be F.O.B. destination.			
5.	Purchases by Pontotoc	Cour	nty, Oklahoma, are not subjec	t to state or federal taxes.
6.	This bid is submitted as a legal offer a	nd any bid when accepted b	by the County constitutes a fir	m contract.
7.	Oklahoma laws require each bidder su of non-collusion. A form is supplied b	ubmitting a bid to a county felow.	for goods or services to furnis	h a notarized sworn statement
8.	Bids will be firm until	(Date)		
to sub freedo to qua betwo letting emplo procu	AVIT: I, the undersigned, of lawful age omit the above bid. Affiant further state or of competition by agreement to bid antity; quality or price in the prospective bidders and any state official concerns of a contract; that the bidder/contract oyee of the State of Oklahoma (or othering of the award of a contract pursuant bed and sworn before this 21 state of 25 day	es that the bidder has not be d at a fixed price or to refrair re contract or any other terms exchange of money of tor has not paid, given or derentity) any money or other to this bid	een a party to any collusion a n from bidding; or with any st ns of said prospective contrac or other thing of value for spe lonated or agreed to pay, give	imong bidders in restraint or tate official or employee as ct; or in any discussions ecial consideration in the e or donate to any officer or
Му соп	nmission expires 10/01/2426	Signed by:	JASA_	
(	M Makee NOTARY PUBLIC (CLERKOR JUDGE)	Address: 4220 West F	Reno Ave. OKC Zip:	_(405)945-8517

In accordance with 62 O.S. § 310.9

NOTE: Other terms and conditions can be added at the discretion of the county officers.

		1	One (1) or more 2022 or newer 672G Motor Grader or equivalent model with factory
			warranty and less than 1,800 engine hours.
Co	ompli	ance	
<b>250</b>			Gverall Machine
yes	$\mathbf{x}$	no	Made in the U.S.A.
			Engine
yes	Х	no	Engine meets EPA Final Tier 4 and European Union Stage IV standards
yes	X	no	The engine shall have dual safety air cleaner elements, radial seal, dry type
yes	X	no	Engine shall be rubber isolation mounted to reduce noise and vibration
yes	Х	no	Altitude deration will not occur at altitudes less than 10,000 ft (3048 m).
yes	X	по	Engine will have a minimum torque rise of 54% in all gears
yes	X	no	Unit shall have a self-draining muffler with curved stack
			Unit shall be equipped with Engine Power Management System for variable horsepower for
yes	X	no	up to 245 SAE net and shall meet FT4 standards
			Ether starting aid shall be available and must automatically meter ether injection to prevent
1	X		engine damage.
	X		Machine shall be equipped with electronic over-speed protection to prevent the engine and
yes	X	no	transmission from over speeding, as a standard feature.
	×		Electronic Throttle Control (cruise control) shall be available, and shall be controlled by a
yes	X	no	switch, located on the right-hand console for resuming and decreasing throttle set.
yes	<del>-X-</del>	no	Unit shall be equipped with engine stall prevention (ESP) as standard equipment
yes	Ÿ	no	Engine will offer on-the-fly exhaust filter cleaning
yes_	v	по	Engine will offer automatic de-rating
yes	Ŷ	no	Engine will offer a lifetime viscous crankshaft damper
yes		no	An optional adjustable height engine pre-cleaner is available
		75.00	Control of the Control of the Control of Control of the Control of
yes	Y	по	Coolant levels should be easily checked by an overflow tank
			Engine coolant shall be Cool Guard™ II Extended Life or equivalent for temperatures to -34
yes_		no	le control of the con
yes_	X	no	
yes_	x		The engine shall have an air-to-air after cooling for low engine speed lugging
	X.	no	The engine shall have an air-to-air after cooling for low engine speed lugging Pivoting coolers provide access for quick cleanout of dust and debris
	x x	no	The engine shall have an air-to-air after cooling for low engine speed lugging Pivoting coolers provide access for quick cleanout of dust and debris A rear access fan door shall be provided to provide quick air cleanout of dust and debris for
		no	The engine shall have an air-to-air after cooling for low engine speed lugging Pivoting coolers provide access for quick cleanout of dust and debris
yes_		no	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler
yes_		no	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler
yes_	X	no no	The engine shall have an air-to-air after cooling for low engine speed lugging Pivoting coolers provide access for quick cleanout of dust and debris A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available Machine shall have no drive shafts that cross over the articulation hitch.
yes_ yes_ yes_	X X X X	nono	The engine shall have an air-to-air after cooling for low engine speed lugging Pivoting coolers provide access for quick cleanout of dust and debris A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available Machine shall have no drive shafts that cross over the articulation hitch.
yes_ yes_ yes_	X X X	nono	The engine shall have an air-to-air after cooling for low engine speed lugging Pivoting coolers provide access for quick cleanout of dust and debris A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available Machine shall have no drive shafts that cross over the articulation hitch.
yes_ yes_ yes_ yes_	X X X X	no no no no no	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available  Machine shall have no drive shafts that cross over the articulation hitch.  The transmission shall have eight forward and eight reverse speeds with built-in diagnostics
yes_ yes_ yes_ yes_	X X X X X	no no no no no	The engine shall have an air-to-air after cooling for low engine speed lugging Pivoting coolers provide access for quick cleanout of dust and debris A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available Machine shall have no drive shafts that cross over the articulation hitch.
yesyesyesyes	X X X X	no no no no no	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available  Machine shall have no drive shafts that cross over the articulation hitch.  The transmission shall have eight forward and eight reverse speeds with built-in diagnostics  Transmission shall have 5 working gears between 0-10.2 mph (0-16.4 km/h), for dirt applications.  Transmission shall be equipped with built-in self-diagnostic capability.
yes_yes_yes_yes_yes_yes_yes_yes_yes_yes_	X X X X X	no no no no no no	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available  Machine shall have no drive shafts that cross over the articulation hitch.  The transmission shall have eight forward and eight reverse speeds with built-in diagnostics  Transmission shall have 5 working gears between 0-10.2 mph (0-16.4 km/h), for dirt applications.  Transmission shall be equipped with built-in self-diagnostic capability.  Transmission shall be a direct drive, power shift, countershaft type.
yesyesyesyesyesyes	X X X X X	no no no no no no	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available  Machine shall have no drive shafts that cross over the articulation hitch.  The transmission shall have eight forward and eight reverse speeds with built-in diagnostics  Transmission shall have 5 working gears between 0-10.2 mph (0-16.4 km/h), for dirt applications.  Transmission shall be equipped with built-in self-diagnostic capability.  Transmission shall be a direct drive, power shift, countershaft type.  A guard shall be available to protect the machine's transmission from debris.
yes_yes_yes_yes_yes_yes_yes_yes_yes_yes_	X X X X X	no no no no no no no	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available  Machine shall have no drive shafts that cross over the articulation hitch.  The transmission shall have eight forward and eight reverse speeds with built-in diagnostics  Transmission shall have 5 working gears between 0-10.2 mph (0-16.4 km/h), for dirt applications.  Transmission shall be equipped with built-in self-diagnostic capability.  Transmission shall be a direct drive, power shift, countershaft type.
yes_yes_yes_yes_yes_yes_yes_yes_yes_yes_	X X X X X	no no no no no no no no	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available  Machine shall have no drive shafts that cross over the articulation hitch.  The transmission shall have eight forward and eight reverse speeds with built-in diagnostics  Transmission shall have 5 working gears between 0-10.2 mph (0-16.4 km/h), for dirt applications.  Transmission shall be equipped with built-in self-diagnostic capability.  Transmission shall be a direct drive, power shift, countershaft type.  A guard shall be available to protect the machine's transmission from debris.  6WD: Automatic dual-path hydrostatic drive with separate left and right systems  6WD: Operator-selectable 15-position rotary aggressiveness control
yes yes yes yes yes yes yes	X X X X X	no no no no no no no no no	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available  Machine shall have no drive shafts that cross over the articulation hitch.  The transmission shall have eight forward and eight reverse speeds with built-in diagnostics  Transmission shall have 5 working gears between 0-10.2 mph (0-16.4 km/h), for dirt applications.  Transmission shall be equipped with built-in self-diagnostic capability.  Transmission shall be a direct drive, power shift, countershaft type.  A guard shall be available to protect the machine's transmission from debris.  6WD: Automatic dual-path hydrostatic drive with separate left and right systems
yes yes yes yes yes yes yes yes yes	X X X X X	no n	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available  Machine shall have no drive shafts that cross over the articulation hitch.  The transmission shall have eight forward and eight reverse speeds with built-in diagnostics  Transmission shall have 5 working gears between 0-10.2 mph (0-16.4 km/h), for dirt applications.  Transmission shall be equipped with built-in self-diagnostic capability.  Transmission shall be a direct drive, power shift, countershaft type.  A guard shall be available to protect the machine's transmission from debris.  6WD: Automatic dual-path hydrostatic drive with separate left and right systems  6WD: Operator-selectable 15-position rotary aggressiveness control
yes yes yes yes yes yes yes yes	X X X X X	no no no no no no no no no	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available  Machine shall have no drive shafts that cross over the articulation hitch.  The transmission shall have eight forward and eight reverse speeds with built-in diagnostics  Transmission shall have 5 working gears between 0-10.2 mph (0-16.4 km/h), for dirt applications.  Transmission shall be equipped with built-in self-diagnostic capability.  Transmission shall be a direct drive, power shift, countershaft type.  A guard shall be available to protect the machine's transmission from debris.  6WD: Automatic dual-path hydrostatic drive with separate left and right systems  6WD: Operator-selectable 15-position rotary aggressiveness control  6WD: Inching capability down to 0 mph and precision mode (propelled by front wheels only)
yes yes yes yes yes yes yes yes yes yes	X X X X X	no n	The engine shall have an air-to-air after cooling for low engine speed lugging  Pivoting coolers provide access for quick cleanout of dust and debris  A rear access fan door shall be provided to provide quick air cleanout of dust and debris for the engine radiator, charge air cooler, transmission cooler, axle cooler, hydraulic oil cooler and fuel cooler  Auto-shift shall be available  Machine shall have no drive shafts that cross over the articulation hitch.  The transmission shall have eight forward and eight reverse speeds with built-in diagnostics  Transmission shall have 5 working gears between 0-10.2 mph (0-16.4 km/h), for dirt applications.  Transmission shall be equipped with built-in self-diagnostic capability.  Transmission shall be a direct drive, power shift, countershaft type.  A guard shall be available to protect the machine's transmission from debris.  6WD: Automatic dual-path hydrostatic drive with separate left and right systems  6WD: Operator-selectable 15-position rotary aggressiveness control  6WD: Inching capability down to 0 mph and precision mode (propelled by front wheels only)

Page 1 of 5 3/17/2025

		One (1) or more 2022 or newer 672G Motor Grader or equivalent model with factory warranty and less than 1,800 engine hours.
Compl	iance	The state of the s
	T	The brakes shall be internal self-adjusting maintenance free, wet multi-disk, inboard of
yes_x	no	tandem pivot
yes x	no	The park brake shall have an independent oil reservoir, filtration and cooling system.
yes x	no	The parking brake shall be automatic, spring-applied, hydraulic released
yes x	no	The unit shall have primary and secondary service brakes
yes X	no	Service brakes shall be multi-disc, oil-cooled and completely sealed.
yes X	no	Service brakes shall be hydraulically actuated, utilizing dual independent brake circuits.
yes X_	no	Final drive shall be a planetary design.
7	_	Front axle shall be an arched design for maximum ground clearance while maintaining
yes X	no	performance
133-	1	Front axle oscillation shall be no less than 32 degrees total, per side 16 degrees up, 16
yes_X	no	ldegrees down.
yes_X	no	Front wheel steering angle shall be no less than 48.5 degrees left or right.
	1	Front wheel spindle bearings shall be a large diameter taper roller bearing for radial and
yes X	по	axial load
700	+10-	Tandems shall be capable of oscillating 15 degrees front tandem up and 15 degrees front
		tandem down, with full machine articulation and having no interference between tandem
yes_X	no	wheel and machine structure.
yes_X	no_	Tandem chain pitch shall not be less than 2.0 in (50.8 mm).
yes_X	no	Distance between center of tandem wheels shall be no less than 61 in (1540 mm).
yes_X	no	Maximum front wheel lean shall be no less than 20 degrees left or right.
yes_*	no	Replaceable, sealed bushings shall be used at the axle and wheel pivot points
	10 th	Treplatedatic, sedica sastings shall be used at the axie and wheel pivot points
Mary Posterior	A STATE OF THE PARTY OF THE PAR	Motor grader shall have an option of up to six auxiliary control valves and control levers
		integrated into the main control rack and valve stack, 14 possible control levers on main
yes_x_	no	control rack.
yes_x	no	Left and right blade lifts shall have hydraulic float control.
· ×		Implement valves shall be proportional priority pressure compensating for consistent
_		response, when multi-functioning any combination of implement controls and independent
yes X	no	of engine speed.
yes_v_	no	Lock valves shall be integrated into the main implement valve to prevent cylinder drift.
yes_x	no	Steering capabilities shall be ISO 5010
yes_x_	no	Secondary steering is available
		The hydraulic system filter shall have a minimum filtration rating of 5 micron rating to
yes_x_	no	protect hydraulic system components
1	4	Electrical
yes_x_	no	The electrical system shall be 24 volt with 130 amp alternator.
yes_x_	no	A 200 amp alternator shall be available
		Machine shall have 1400 CCA extra heavy-duty batteries with 440 minute reserve capacity
yes_x_	по	
yes_x_	no	The cab shall have a 10 amp continuous / 15 amp peak capacity (24V to 12 V) converter
yes_X_	по	A 24V to 12V converter with 25-amp continuous, 30-amp peak capacity shall be available.
		Optional electrical corrosion-prevention protection for protection in corrosive environments
yes_v	no	such as salt handling
yes v	no	All light and wiper switches will be solid-state distribution
yes_x	no	The in-cab switch module shall be sealed to keep out dirt, dust and airborne debris
	по	The unit shall have an electric key fuel shut-off switch
ACO X		
yes_x		Electrical system shall have a master disconnect switch with a padlock provision (in

17		One (1) or more 2022 or newer 672G Motor Grader or equivalent model with factory warranty and less than 1,800 engine hours.
Comp	liance	warranty and less than 1,000 engine nours.
yes_ yes <sup>X</sup>	no	Cab will be wired for beacon, radio and auxiliary circuit
	no	The unit shall have a bypass start safety cover on the starter
yes.^	no	The unit shall have a LH engine compartment light as standard equipment
yes_	no	An optional RH engine compartment light is available
		Operator Station (G)
	1	Steering wheel and control console shall be tiltable
yes_X	no	
		The ergonomically designed steering wheel will take 5 1/4 turns (lock to lock) if the machine
v		is equipped with manual controls. If the machine is equipped with EH controls, the steering
yes_X	по	_[wheel shall take 6 1/4 turns (lock to lock).
yes_X	no	Steering wheel included as standard equipment
yes X	no	Left and right side cab doors are standard
^		Cab doors shall have a hold-open clasp with a ground-level release and in addition to, a
yes	no	_ release in the cab.
		Machine shall provide dual exits allowing for emergency egress should one side become
yes_X	no	obstructed
^		Cab shall have cup holder, personal cooler holder/storage compartment for operator's
yes	no	manual, with a molded floor mat
yes 🗘	no	Air vents shall be provided for all front and side tinted windows
yes <u>^</u>	no	Cab air pre-cleaner shall be an option to extend filter life by pre-cleaning outside air
95.6		Three rearview mirrors shall be provided, one interior and two breakaway exterior mounted
yes_x	no	
yes_X	no	AM/FM/WB Radio, two speakers, antenna and wiring shall be available.
yes	no	A front window sun visor and a rear sun shade shall be available.
		The motor grader shall be equipped with low ROPS/FOPS air conditioned cab, isolation
yes_x_	no	frame mounted for noise and vibration reduction
yes_x_	no	Optional side opening windows
		The motor grader shall be equipped with low ROPS/FOPS enclosed air conditioned cab,
yes_X_	no	isolation frame mounted for noise and vibration reduction
		Seat shall be a cloth-covered air suspension seat with, 3-inch (76 mm) retractable seat
Х		belts, with adjustments for fore-aft position, seat height, seat back angle, thigh support, and
yes	no	lumbar support.
yes_X_	no	Optional premium heated, leather/fabric, high wide back, air-suspension seat with armrests.
		A machine security system shall be available to electronically code keys selected by the
yes_X	no	user to limit usage by individuals or by time parameters.
yes	no	Access to the cab shall be three anti-skid steps
		General Specifications
		Machine Wheel Base (distance from front axle to mid tandem) shall not be less than 242.6
yes	no	in (6,160 mm).
yes_v_	no	Machine shall be designed and built by the manufacturer.
yes_x	no	Transmission shall be designed and built by the machine manufacturer.
yes_v	no	Machine height to top of the cab shall not exceed 125 in (3,180 mm).
yes_v_	no	Turning radius will be no greater than 284 in (7,214 mm)
, co_v	+10-	Hydraulic disconnect (soft stort) and transmission value soles of average at all 1
VAS	lno.	Hydraulic disconnect (soft start) and transmission valve solenoid guards shall be standard
yes_x_	no	equipment

		One (1) or more 2022 or newer 672G Motor Grader or equivalent model with factory
		warranty and less than 1,800 engine hours.
Comp	liance	
		Ground level fueling and filling for diesel and diesel exhaust fluid shall be standard
yes_x	no	equipment
yes x	no	The frame shall be ready for snow wing attachment
	La de la companya de	Erames and Structures
yes X	no	The angle of articulation shall be no less than 22 degrees.
700,7		The articulation joint shall have mechanical locking device to prevent frame articulation
yes X	no	while servicing or transporting machine.
yes X	no	Unit will be provided with seven-position pin-locking saddle
yes X	no	Unit shall be equipped with 5 tie-down locations for ease of transporting
TOTAL STREET, SOUTH AND ADDRESS.		Critical and Mold Soard
		Circle shall be a fabricated rolled-ring, with machined wear surfaces on the top and bottom.
yes_X	no	
v		Circle teeth contact surfaces shall be induction-hardened on the front 120 degrees of the
yes_X	no	circle.
v		There will be no less than 6 replaceable wear inserts between the circle and drawbar
yes_X	no	providing at least 163 in² (1051 cm²) of wear surface area.
yes	no	The unit shall have a circle drive slip clutch to protect the drive pinion from shock loads
yes	no	Circle shall be rotated by a hydraulically driven motor
yes	no	The standard mounting hardware for cutting edges and end bits shall be 5/8 in (16 mm)
yes <u>.</u>	no	The standard mounting hardware for cutting edges and end bits shall be 5/8 in (16 mm)
yes	no	Shall have 14' long, 27" high by 1" thick moldboard available with 5/8" hardware
		The mold board shall be pre-stressed during manufacturing for superior strength and
yes	no	durability
yes	no	Throat clearance with standard moldboard shall be at least 4.8 in (123 mm)
yes 💭	no	The motor grader shall have five permanent and usable tie downs for transport
5.80		Circle wear strips shall be replaceable drop-in inserts, made from nylon composite material.
yes_v	no	
		Circle and drawbar vertical adjustment points shall be accessible from the bottom of the
yes_v	no	drawbar, for ease of maintenance.
X		Circle radial wear insert shall be replaced without removing the circle support castings for
yes	no	quick easy maintenance.
		Moldboard wear strips shall be adjusted with lock screws, providing shim-less adjustment
yes_x	no	_capability both vertical & horizontal.
		Serviceability
yes	no	Diesel exhaust fluid (DEF) tank capacity shall not be less than 6 gallons (22.5 L)
yes_X	no	Cooling system capacity shall not be less than 11.6 gallons (43.9 L).
yes X	no	Engine oil capacity shall not be less than 6.3 gallons (23.8 L).
yes	no	Tandem housing capacity shall not be less than 19.5 gallons (73.8 L) each.
yes	no	Circle gearbox capacity shall not be less than 1.5 gallons (5.7 L)
yes ×	no	Engine primary and final fuel filters shall have 500-hour service replacement interval.
<del></del>		Engine shall have primary fuel filter with fuel water separator and electronic sensor; quick
yes_v	no	release dual stage filter and primer pump
<del></del>		Hydraulic, transmission, and differential filters shall be banked and easily assessable
yes_x	no	through the engine compartment doors.
yes_x_	no	Engine oil filter shall be a 500-hour, vertical spin-on
	no	Engine oil shall have a service interval of no less than 500 hours
yes_x_		Hydraulic oil filter shall have a service interval of no less than 2000 hours
yes_x_	no	
yes_x_	no	Hydraulic oil change service interval shall be no less than 4000 hours
yes_x	no	Transmission oil change service interval shall be no less than 2000 hours

		One (1) or more 2022 or newer 672G Motor Grader or equivalent model with factory warranty and less than 1,800 engine hours.
Comp	liance	
yes_x	no_	Transmission oil filter service replacement interval shall be 2000 hours
yes_Ç_	no	Tandem oil shall have a service interval of no less than 4000 hours
yes_Ç	no	Engine coolant shall have a service interval of no less than 6000 hours
yes	no	Transmission, hydraulic, fuel and axle filter restriction indicator shall be displayed in the cab
yesX	no	The centralized lube bank shall be at the articulation joint to give access to difficult to reach zerks
yes_x	no_	Diesel particulate filter (DPF) ash service interval as needed (can go up to 15,000 hours between diesel particulate filter ash removal)
	14 25 20	Times (Rims
yes_X	no_	A 14 in (35.6 cm) by 25 in (63.5 cm) size multi-piece tire rim shall be available to provide mounting for 17.5R25 tires.
		Saley
yes_X	no_	Machine shall provide 3 points of contact on all areas of the machine, for mounting and dismounting.
yes	no	Standard grey glare-reducing paint shall be used on the front frame and engine enclosure to decrease glare from other equipment lights and reflection from the sun and snow.
yes X	no	The unit shall have a fan finger guard
yes X	no	A toolbox shall be provided.
		@ptional Equipment
yesx	no	High resolution camera with dedicated display and wiring shall be available.
yesx	no	Rear ripper shall have five ripper shank holders and 9 scarifier shank holders.
yes <u>X</u>	no	Rear ripper shall have a working penetration of maximum 16.8 in (426 mm) and a minimum penetration force of 21,137 lb (9587 kg) at typically equipped operating weight
yes <u>X</u>	no	With a financing option attached
	Contac	t Victor Bolen, District #3 Commissioner, at 580.272.8487 for any questions.





#### **Quote Summary**

Prepared For:

PONTOTOC COUNTY COMMISSIONERS 100 W 13TH ST ADA, OK 74820

Prepared By:

**KEVIN COOK** 

The Clarence L. Boyd Company 4220 West Reno Oklahoma City, OK 73107 Phone: 405-942-8000

kcook@clboyd.com

Warranty: Remainder of John Deere secure extended full machine

for up to 3,000 hours or until 12/19/2025, whichever occurs first.

Quote Id:

1

32515188

Lease rate shown provided through Vision Bank Ada, OK.

**Expiration Date:** 

28 March 2025

**Equipment Summary** 

2022 JOHN DEERE 672G MOTOR GRADER with 6WD -1DW672GXHNF712999

Qty

**Extended** 

**Equipment Total** 

\$ 240,000.00

Quote Summary	
Equipment Total	\$ 240,000.00
SubTotal	\$ 240,000.00
Est. Service Agreement Tax	\$ 0.00
Total	\$ 240,000.00
Balance Due	\$ 240,000.00

Salesperson: X\_

Accepted By : X \_\_\_\_\_



## **Selling Equipment**



Quote Id: 32515188

**Customer: PONTOTOC COUNTY COMMISSIONERS** 

	2022 JOHN DEERE 672G MOT	OR GRADER with 6WD -	
4	2022 JOHN DEERE 672G MOT 1DW672GXHN		
		1712333	
Hours:	1025		
Stock Number:	25292		
1			
Code	Description	Qty	
8450T	2022 JOHN DEERE 672G 6WD GRADER	1	
	Standard Options	- Per Unit	
170C	JDLINK ULT 5 YEAR SERVICE	1	
1010	STANDARD HYDRAULIC CONTROLS	1	
1140	9.0L ENG,EPA FINAL TIER IV	1	
1240	ALTERNATOR 200 AMP	1	
1320	NO QUICK SERVICE	1	
1410	STANDARD FUEL LINES	1	
1610	HYDRAULIC PUMP DISCONNECT	1	
1830	BLACK EXHAUST STACK	1	
1920	NO BLADE IMPACT ABSORPTION	1	
2070	14'X27"X1" MB (8" CEX5/8")	1	
2575	NOT TOPCON READY	1	
2605	ENGLISH LABELS & DECALS	1	
2775	NO TOPCON RADIO INSTALLATION	1	
2820	SNGL INPUT W/ SLIP CLUTCH	1	
4924	17.5R25 G2/L2 1*NBP 3PC RIM	1	
5025	LOW CAB W/FIXED FT***OPEN SD	1	
5510	AUTOSHIFT TRANSMISSION	1	
5710	TRANS VALVE SOLENOID GUARD	1	
5815	HYDRAU-GREASE,OIL,FUEL,COOLN	1	
6030	NO CAB PRECLEANER	1	
6120	DELUXE CLOTH SEAT/AIR SUSPEN	1	
6510	RH 4 FUNC CONTROL VALVE	1	
6620	LH 5 FUNC CONTROL VALVE	1	
6710	FRONT PUSH BLOCK	1	
6810	REAR RIPPER/SCARIFIER COMBO	1	
7130	STD LIGHT PKG W/LED COLORED	1	
7820	NO FRONT FENDERS	1	
8110	CONVERTER, 24/12V 10/15 AMP	1	
8220	MIRRORS, EXTERNAL HEATED	1	
8320	LESS LOWER FRONT WIPER	1	
8410	RADIO AM/FM/WB	1	
8510	A/C - CHARGE	1	
8730	NO SOUND ABSORPTION PKG	1	







8830	REAR CAMERA (R4)	1	
9130	REAR RETRACTABLE SUNSHADE	1	
9220	FIRE EXTINGUISHER	1	
9280	SMV SIGN WITH BRACKET	1	
9298	BEACON STROBE RIGHT	1	
9299	BEACON STROBE LEFT	1	
9430	9 EXTRA SCFR SHANKS W/TEETH	1	
9615	17.5R25 BRDGE SPR VUT	1	
9724	L2 1* NBP 3PC RIM	1	

Warranty Coverage			
Warranty Type	Coverage Term	<b>Expiration Date</b>	Days Remaining
BASIC WARRANTY	BASIC 12M	21-Dec-2022	0
STRUCTURALL	STRUCTURAL 36M/10000H	19-Dec-2024	0 :
EXTENDED WARRANTY (COMPREHENSIVE)	EXT FULL W/ DIAG 48 M/3000 H D200	19-Dec-2025	273
EMISSIONS WARRANTY	EMISSION 60M/3000H	21-Dec-2026	640

Valid through March 28, 2025

# Used 2022 JOHN DEERE 672G MOTOR GRADER with 6WD

Serial # 1DW672GXHNF712999

1025 hours

Selling Price	\$ 240,000.00
Add'l Advanced Payment	
Trade-Ins	•
Net Selling Price	\$ 240,000.00
Physical Damage Insurance	
Preventive Maintenance	
<b>Extended Warranty</b>	
Filing / Origination Fees	
Total Lease Amount	\$ 240,000.00
Purchase Option	0 <del>000</del>

## **Lease Offer**

Term in Months

60

Annual Hrs

1000

\$ 4,488.12 Monthly

Valid through March 28, 2025

## Used 2022 JOHN DEERE 672G MOTOR GRADER with 6WD

Serial # 1DW672GXHNF712999

1025 hours

Selling Price	\$ 240,000.00	
Add'l Advanced Payment		
Trade-Ins	•	
Net Selling Price	\$ 240,000.00	
Physical Damage Insurance		
Preventive Maintenance		
<b>Extended Warranty</b>		
Filing / Origination Fees		
Total Lease Amount	\$ 240,000.00	
Purchase Option		

## **Lease Offer**

Term in Months

84

Annual Hrs

1000

\$ 3,355.12 Monthly





#### **Quote Summary**

Prepared For:

PONTOTOC COUNTY COMMISSIONERS 100 W 13TH ST ADA, OK 74820 Prepared By:

KEVIN COOK The Clarence L. Boyd Company 4220 West Reno

4220 West Reno Oklahoma City, OK 73107 Phone: 405-942-8000

kcook@ciboyd.com

Warranty: Remainder of John Deere secure extended full machine

for up to 3,000 hours or until 12/19/2025, whichever occurs first.

Quote Id:

32515038

Lease rate shown provided through Vision Bank Ada, OK.

**Expiration Date:** 

30 April 2025

**Equipment Summary** 

2022 JOHN DEERE 672G MOTOR

GRADER with 6WD -1DW672GXCNF713029 Qty

1

**Extended** 

**Equipment Total** 

\$ 240,000.00

\$ 240,000.00

Quote Summary	
Equipment Total	\$ 240,000.00
SubTotal	\$ 240,000.00
Est. Service Agreement Tax	\$ 0.00
Total	\$ 240,000.00

Salesperson : X \_\_\_\_\_

Accepted By : X \_\_\_\_\_

**Balance Due** 







**Customer: PONTOTOC COUNTY COMMISSIONERS** Quote Id: 32515038

2022 JOHN DEERE 672G MOTOR GRADER	with	6WD	-
1DW672GYCNE713029			

Hours:	736 🗸		
Stock Number:	25295		
	<b>=</b>	04.	
Code	Description	Qty 1	
8450T	2022 JOHN DEERE 672G 6WD GRADER	1	
F	Standard Options	- Per Unit	
170C	JDLINK ULT 5 YEAR SERVICE	1	
1010	STANDARD HYDRAULIC CONTROLS	1	
1140	9.0L ENG.EPA FINAL TIER IV	1	
1240	ALTERNATOR 200 AMP	1	
1320	NO QUICK SERVICE	1	
1410	STANDARD FUEL LINES	1	
1610	HYDRAULIC PUMP DISCONNECT	1	
1830	BLACK EXHAUST STACK	1	
1920	NO BLADE IMPACT ABSORPTION	1	
2070	14'X27"X1" MB (8" CEX5/8")	1	
2575	NOT TOPCON READY	1	
2605	ENGLISH LABELS & DECALS	1	
2775	NO TOPCON RADIO INSTALLATION	1	
2820	SNGL INPUT W/ SLIP CLUTCH	1	
4924	17.5R25 G2/L2 1*NBP 3PC RIM	1	
5025	LOW CAB W/FIXED FT***OPEN SD	1	
5510	AUTOSHIFT TRANSMISSION	1	
5710	TRANS VALVE SOLENOID GUARD	1	
5815	HYDRAU-GREASE,OIL,FUEL,COOLN	1	
6030	NO CAB PRECLEANER	1	
6120	DELUXE CLOTH SEAT/AIR SUSPEN	1	
6510	RH 4 FUNC CONTROL VALVE	1	
6620	LH 5 FUNC CONTROL VALVE	1	
6710	FRONT PUSH BLOCK	1	
6810	REAR RIPPER/SCARIFIER COMBO	1	
7130	STD LIGHT PKG W/LED COLORED	1	
7820	NO FRONT FENDERS	1	
8110	CONVERTER, 24/12V 10/15 AMP	1	
8220	MIRRORS, EXTERNAL HEATED	1	
8320	LESS LOWER FRONT WIPER	1	
8410	RADIO AM/FM/WB	1	
8510	A/C - CHARGE	1	
8730	NO SOUND ABSORPTION PKG	1	







8830	REAR CAMERA (R4)	1	
9130	REAR RETRACTABLE SUNSHADE	1	
9220	FIRE EXTINGUISHER	1	
9280	SMV SIGN WITH BRACKET	1	
9298	BEACON STROBE RIGHT	1	
9299	BEACON STROBE LEFT	1	
9430	9 EXTRA SCFR SHANKS W/TEETH	1	
9615	17.5R25 BRDGE SPR VUT	1	
9724	L2 1* NBP 3PC RIM	1	

Warranty Coverage			
Warranty Type	Coverage Term	<b>Expiration Date</b>	Days Remaining
BASIC WARRANTY	BASIC 12M	21-Dec-2022	0
STRUCTURALL	STRUCTURAL 36M/10000H	19-Dec-2024	0
EXTENDED WARRANTY (COMPREHENSIVE)	EXT FULL W/ DIAG 48 M/3000 H D200	19-Dec-2025	273
EMISSIONS WARRANTY	EMISSION 60M/3000H	21-Dec-2026	640

Valid through April 30, 2025

## Used 2022 JOHN DEERE 672G MOTOR GRADER with 6WD

Serial # 1DW672GXCNF713029

736 hours

Selling Price	\$ 240,000.00
Add'l Advanced Payment	
Trade-Ins	
Net Selling Price	\$ 240,000.00
Physical Damage Insurance	
Préventive Maintenance	
Extended Warranty	
Filing / Origination Fees	
Total Lease Amount	\$ 240,000.00
Purchase Option	S <del>mar</del> .

## **Lease Offer**

Term in Months

60

Annual Hrs

1000

\$ 4,488.12 Monthly

Valid through April 30, 2025

## Used 2022 JOHN DEERE 672G MOTOR GRADER with 6WD

Serial # 1DW672GXCNF713029

736 hours

Selling Price	\$ 240,000.00
Add'l Advanced Payment	
Trade-Ins	
Net Selling Price	\$ 240,000.00
Physical Damage Insurance	
Preventive Maintenance	
Extended Warranty	-
Filing / Origination Fees	
Total Lease Amount	\$ 240,000.00
Purchase Option	

## **Lease Offer**

Term in Months

84

Annual Hrs

1000

\$ 3,355.12 Monthly

#### **April 7, 2025**

The Board of Pontotoc County Commissioners met for a regular meeting in which the time, place, and agenda were duly posted on April 3, 2025 at 301 S. Broadway, Ada, Oklahoma.

Roll call: Gary Starns-District #1 Commissioner, Danny Davis-District #2 Commissioner, Victor Bolen-District #3 Commissioner, and Tammy Brown-County Clerk. Motion by Bolen, second by Davis, to call the meeting to order. All aye.

Introduction of guests: JR Grissom, Alan Ogles, Kevin Cook, Bruce Mason, Renae Furimsky, Chad Letellier, Arnold Scott, Paula Christian, Keressa Kerr, James Farris, James Hawkins, Tony Sexton, Krystina Phillips, Daniel Clements.

Discussion, consideration, and possible action to approve or approve as amended consent items as follows:

All matters listed under "Consent" are considered by the Board of County Commissioners (BOCC) to be routine and will be enacted by one motion. Any BOCC Member may, however, remove an item from the Consent Agenda by request

- a. BOCC's minutes:
  - i. March 31, 2025, regular meeting
- b. BOCC's March 2025 monthly meeting minutes for publication
- c. March 2025 monthly reports:
  - i. Assessor
  - ii. Health Department
- d. April 2025 appropriations:

GENERAL	
HIGHWAY	\$274,940.26
CBRI	\$43,684.89
ASSESSORS REVOLVING	
COUNTY CLERK LIEN FEES	\$1,019.15
PRESERVATION FEES	\$7,199.73
EMERGENCY MANAGEMENT	
FLOOD PLAIN MANAGEMENT	\$500.00
AGRI-PLEX	\$18,961.00
HEALTH DEPT	\$60.00
HAZMAT PLANNING GRANT	
RESALE PROPERTY	\$32,932.52
COUNTY REWARD FUND	
COMMISSARY	\$19,109.71
DRUG COURT SENTENCING	
SHERIFF FORFEITURE	
SHERIFF FEES	\$190,011.64
SHERIFF TRAINING	
MORTGAGE TAX CERT	\$535.00
DONATIONS	
SAFETY USE TAX	<i>\$51,508.74</i>
COUNTY FIRE USE TAX	\$18,845.43
USE TX-ST-P/S	\$10,726.09
JAIL-OLD M/O	\$598.40
USE TX-C/O	\$5.22
USE TX- HWY	\$564.48
SAFETY USE TAX HWY	\$131.21

LODGING TAX	\$34,910.32
EMS/AMBULANCE-ST-NEW	\$49,968.76
HIGHWAY-ST-NEW	\$132,297.57
JAIL-ST-OLD	\$65,829.99
FIRE TAX	\$100,657.03
911-ST-NEW	\$42,145.82
JAIL-ST-NEW	\$74,404.88
CDBG	
CARES/COVID AID & RELIEF	
AMERICAN RESCUE PLAN ACT OF 2021	\$852.25
COURT CLERK REVOLVING	
LAW LIBRARY	\$1,482.28
COURT CLERK RECORDS MGMT/PRES	
EXCESS RESALE	
ETR-PROJECT	
PONTOTOC CO EDUC FAC AUTH	
LEPC	
SR CIT TRANS	\$81,517.45
OPIOID ABATEMENT SETTLEMENT	\$37,500.00

e. Claim(s): The County Clerk's Office has supporting documents available for review, which will be listed in the corresponding minutes:

 V #10
 Account 1220-1-0600-1110
 OESC
 \$169.86

 V #34
 Account 7205-5-8049-2005
 OESC
 \$22.50

\$1,292,899,82

- f. Transfer(s): The County Clerk's Office has supporting documents available for review, which will be listed in the corresponding minutes. None.
- g. Blanket purchase order(s): The County Clerk's Office has supporting documents available for review, which will be listed in the corresponding minutes:

General 4978-4982, 4998-5007, 5014-5015 Highway 4986-4993 Highway ST 4983-4985 Sheriff Fees 4994-4997 SCT 5008-5013

GENERAL-PROPERTY DAMAGE

**TOTALS** 

h. Purchase orders for payment: The County Clerk's Office has supporting documents available for review, which will be listed in the corresponding minutes:

FY 2024-2025 Fair Board 1214-4-4700-2005 000346 000182 GAYLER'S CLEANING
REMITTANCE \$ 200.00 004854 000183 HISLE BROS. INC. PARTS \$ 67.25 004862 000184
US ALERT, LLC INSPECTION \$ 630.00 Total: \$ 897.25 General 0001-1-1000-2005 004925
001698 CANON FINANCIAL SERVICES INC MONTHLY \$ 235.00 Total: \$ 235.00 0001-11600-1310 004495 001699 PEREZ, DANIELA TRAVEL \$ 496.40 004494 001700 POGUE,
ROBERTA ANN TRAVEL \$ 496.40 004493 001701 SKILLERN, CARALINE MICHELLE TRAVEL
\$ 496.40 Total: \$ 1,489.20 0001-1-1700-1310 004369 001702 RHODES, FREDDIE E.
TRAVEL \$ 362.60 004370 001703 ROSS, RANDY DEAN TRAVEL \$ 377.30 Total: \$ 739.90
0001-1-1700-2005 004929 001704 AF3 TECHNICAL SOLUTIONS LLC SUPPLIES \$ 392.00
Total: \$ 392.00 0001-1-2000-2005 004583 001705 MIDWEST PRINTING CO CHECKS \$
671.42 004800 001706 NICKERSON PLUMBING INC REPAIR \$ 140.00 004838 001707
OESC 1ST QTR UNEMP PREM \$ 4,612.92 004831 001708 O G & E MONTHLY \$ 3,252.04
004863 001709 U S ALERT LLC SERVICE \$ 749.92 Total: \$ 9,426.30 PO Warrant No.
Vendor Name Purpose Amount General 0001-3-3900-2005 004260 001710 ADA TIRE

CENTER INC TIRES \$ 159.13 002862 001711 B & S SANITATION MONTHLY \$ 30.00 002832 001712 CINTAS CORPORATION LOC 618 UNIFORMS \$ 191.08 004520 001713 PRINTING SOLUTIONS INC REMITTANCE \$ 228.00 002841 001714 RSI COMMUNICATIONS REMITTANCE \$ 150.00 Total: \$ 758.21 0001-5-0900-1310 004261 001715 KELLEY, JANNA L EDWARDS TRAVEL \$ 620.82 004213 001716 WALKER, BECKY TRAVEL \$ 140.84 Total: \$ 761.66 Health 1216-3-5000-1310 004403 000214 JOY, ELIZABETH TRAVEL \$ 49.84 004401 000215 LINDSAY, JENNY TRAVEL \$ 136.08 Total: \$ 185.92 1216-3-5000-2005 001353 000216 ARROW APPLICATORS PEST CONTRO SERVICE \$ 300.00 004411 000217 STANDLEY SYSTEMS REMITTANCE \$ 275.90 004359 000218 WAL MART SUPPLIES \$ 141.88 Total: \$ 717.78 Highway 1102-6-4100-1310 004439 001337 HAMPTON INN HOTEL \$ 184.00 Total: \$ 184.00 1102-6-4100-2005 004839 001338 OESC 1ST QTR UNEMP PREM \$ 1,112.50 Total: \$ 1,112.50 1102-6-4200-2005 004604 001339 BOMGAARS SUPPLY INC SUPPLIES \$ 674.62 004840 001341 OESC 1ST QTR UNEMP PREM \$ 811.22 003916 001342 TOTAL SIR LLC REMITTANCE \$ 38.50 003457 001343 TRUCK PARTS SUPPLY INC PARTS \$ 494.94 PO Warrant No. Vendor Name Purpose Amount Highway 1102-6-4200-2005 Total: \$ 2,019.28 1102-6-4300-1310 002706 001344 COUNTY TRAINING PROGRAM TRAVEL \$ 80.00 Total: \$ 80.00 1102-6-4300-2005 004220 001345 ADA AGGREGATES LLC ROAD MATERIAL \$ 1,960.54 004503 001346 ADA AGGREGATES LLC ROAD MATERIAL \$ 2,896.19 004932 001347 B & S SANITATION UTILITY \$ 65.00 004388 001348 CINTAS CORPORATION LOC 618 UNIFORMS \$ 761.33 004788 001349 DUB ROSS COMPANY GRADER BLADES \$ 2,205.80 004841 001351 OESC 1ST QTR UNEMP PREM \$ 952.48 004856 001352 O G & E UTILITY \$ 114.66 003111 001353 O T A PLATEPAY TOLL \$ 1.44 004609 001354 PONTOTOC SAND & STONE ROAD MATERIAL \$ 2,893.64 004826 001355 SERVICE OKLAHOMA TAG \$ 30.00 004819 001356 SPLASH TRUCK SALES PARTS \$ 352.50 004829 001357 SPLASH TRUCK SALES SUPPLIES \$ 92.84 004815 001358 S & S TEEL FARMS LLC PARTS \$ 5,404.51 004855 001359 STONEWALL PUBLIC WORKS AUTH. UTILITY \$ 61.30 004789 001360 TEXAS PATCHER LLC PARTS \$ 574.00 Total: \$ 18,366.23 1102-6-6520-2005 004751 001340 HOOTEN OIL CO. FUEL \$ 5,689.20 Total: \$ 5,689.20 1102-6-6530-2005 004802 001350 HOOTEN OIL CO. FUEL \$ 2,077.83 Total: \$ 2,077.83 HIGHWAY-ST 1313-6-8041-2005 004582 000521 ADA AGGREGATES LLC ROAD MATERIAL \$ 1,037.30 004835 000522 BOMGAARS SUPPLY INC PARTS \$ 75.98 004834 000523 BRUCKNER'S TRUCK & EQUIPMENT PARTS \$ 155.84 004928 000524 BUMPER TO BUMPER PARTS \$ 57.09 004828 000525 ERGON ASPHALT AND EMULSIONS ROAD MATERIAL \$ 2,916.17 004497 000526 J B LUMBER SUPPLIES \$ 83.37 PO Warrant No. Vendor Name Purpose Amount HIGHWAY-ST 1313-6-8041-2005 004726 000527 NAPA OF ADA PARTS \$ 395.90 004827 000528 SERVICE OKLAHOMA TAG \$ 44.50 004833 000529 SMITH, CHRISTINA L SERVICE \$ 80.00 004713 000530 WARREN CAT PARTS \$ 3,290.65 004814 000531 WARREN CAT PARTS \$ 349.21 Total: \$ 8,486.01 1313-6-8042-2005 004668 000532 JENNINGS, RANDY ROAD MATERIAL \$ 1,375.00 004794 000533 WARREN CAT PARTS \$ 1,252.10 004801 000534 WARREN CAT PARTS \$ 166.70 Total: \$ 2,793.80 1313-6-8043-2005 004697 000535 DUB ROSS COMPANY ROAD MATERIAL \$ 21,508.00 004185 000536 KIA, K LLC PARTS \$ 5,600.00 004389 000537 PONTOTOC SAND & STONE ROAD MATERIAL \$ 7,996.38 Total: \$ 35,104.38 JAIL-ST-NEW 1334-2-8034-1110 004842 000202 OESC 1ST QTR UNEMP PREM \$ 996.31 Total: \$ 996.31 1334-2-8034-2005 000242 000203 US ALERT, LLC SERVICE \$ 190.00 Total: \$ 190.00 Jail-ST-OLD 1315-2-8034-1110 004843 000210 OESC 1ST QTR UNEMP PREM \$ 1,108.82 Total: \$ 1,108.82 1315-2-8034-2005 004924 000211 A T & T MONTHLY \$ 50.89 Total: \$ 50.89 PO Warrant No. Vendor Name Purpose Amount Law Library 7205-5-8049-2005 004845 000034 OESC 1ST QTR UNEMP PREM \$ 22.50 Total: \$ 22.50 Lodging-ST 1302-8-3100-1110 004844 000158 OESC 1ST QTR UNEMP PREM \$ 551.96 Total: \$ 551.96 1302-8-3100-2005 002718 000159 BAILEY S PLUMBING LLC REMITTANCE \$ 899.00 Total: \$ 899.00 OPIOID ABATEMENT SETTLEMENT 1251-3-6707-2401 004918 000006 PONTOTOC CO DRUG COURT REIMBURSEMENT \$

135.00 Total: \$ 135.00 Resale 1220-1-0600-1110 004846 000110 OESC 1ST QTR UNEMP PREM \$ 169.86 Total: \$ 169.86 RM&P 1209-1-1000-1110 004847 000045 OESC 1ST QTR UNEMP PREM \$ 34.00 Total: \$ 34.00 Rural Fire-ST 1321-2-2700-2005 001579 000306 STOLZ TELECOM PARTS \$ 14,241.13 Total: \$ 14,241.13 PO Warrant No. Vendor Name Purpose Amount Rural Fire-ST 1321-2-8206-2005 004135 000307 P E C UTILITY \$ 34.97 Total: \$ 34.97 1321-2-8207-2005 004134 000308 FRANCIS PWA FUEL \$ 5.00 Total: \$ 5.00 1321-2-8209-2005 004662 000309 KENNY S PROPANE PROPANE \$ 567.57 Total: \$ 567.57 1321-2-8210-2005 004629 000310 P E C MONTHLY \$ 87.47 Total: \$ 87.47 1321-2-8211-2005 004633 000311 P E C MONTHLY \$ 102.36 Total: \$ 102.36 1321-2-8212-2005 004150 000312 B & S SANITATION UTILITY \$ 30.00 000659 000313 NAPA OF ADA PARTS \$ 135.85 004637 000314 P E C MONTHLY \$ 58.60 002629 000315 PICKETT COUNTRY STORE FUEL \$ 164.83 003162 000316 PICKETT COUNTRY STORE FUEL \$ 46.00 Total: \$ 435.28 1321-2-8216-2005 004645 000317 P E C MONTHLY \$ 59.38 Total: \$ 59.38 Senior Citizen Trust 7611-3-3900-1110 004848 000251 OESC 1ST QTR UNEMP PREM \$ 386.00 Total: \$ 386.00 7611-3-3900-2005 001564 000252 CHANEY LAWN CARE & LAND SCAPIN REMITTANCE \$ 150.00 PO Warrant No. Vendor Name Purpose Amount Senior Citizen Trust 7611-3-3900-2005 004254 000253 CROWLEYS MARKET INC FUEL \$ 79.03 004256 000254 SUPER LUBE OIL CHANGE \$ 142.32 004517 000255 SUPER LUBE FUEL \$ 640.26 Total: \$ 1,011.61 7611-3-5201-1110 004849 000256 OESC 1ST QTR UNEMP PREM \$ 60.00 Total: \$ 60.00 7611-3-5201-2005 004518 000257 SUPER LUBE FUEL \$ 128.00 Total: \$ 128.00 SH Svc Fee 1226-2-0400-1110 004850 000444 OESC 1ST OTR UNEMP PREM \$ 437.87 Total: \$ 437.87 1226-2-0400-2005 001785 000442 COPS PRODUCTS LLC REMITTANCE \$ 630.92 Total: \$ 630.92 1226-2-0400-4110 002328 000443 METRO EMERGENCY UPFITTERS LLC EQUIP \$ 23,655.01 Total: \$ 23,655.01 1226-2-1100-2005 002596 000445 ABC OCCUPATIONAL SAFETY REMITTANCE \$ 150.00 003476 000446 JAM SALES LLC REMITTANCE \$ 2,589.42 003709 000447 NOBILITY DOOR CO LLC REMITTANCE \$ 2,390.00 004244 000448 PRUETTS FOOD FOOD \$ 312.00 003809 000449 SABER TRANSPORTATION SUPPORT DRUG TEST \$ 40.00 003304 000450 STATEWIDE COMMERCIAL FENCE LLC REMITTANCE \$ 730.00 004110 000451 WAL MART SUPPLIES \$ 240.15 Total: \$ 6.451.57 Use-St PO Warrant No. Vendor Name Purpose Amount Use-ST 1301-6-0810-1110 004851 000312 OESC 1ST QTR UNEMP PREM \$ 138.00 Total: \$ 138.00 1301-6-0820-1110 004852 000313 OESC 1ST QTR UNEMP PREM \$ 60.00 Total: \$ 60.00 1301-6-0830-1110 004853 000314 OESC 1ST QTR UNEMP PREM \$ 94.00 Total: \$ 94.00 Grand Total: \$ 144,260.93

Motion by Davis, second by Starns, to approve consent agenda items (a-h). All aye.
Discussion, consideration, and possible action with Daniel Clements, CED #4, regarding
Pontotoc County's CIRB FY 2025-2026 Six-Year Plan draft and updates:

Clements explained the CIRB FY 25-26 Six-Year Plan draft and updates. The plan shows the debits and credits and projects. The Lightning Ridge Road resurfacing project consisting of six miles will be coming up next fiscal year. The second phase of the Lightning Ridge Road resurfacing project will be 2029. Bolen asked why this project has gone past the five-year plan. Clements stated this is only a draft, and once they get a final one put together, it can be put on the BOCC agenda for approval. He also said the committee meeting is scheduled to meet April 23<sup>rd</sup> for approval and then to send it on to ODOT.

The BOCC would like to review this further. Motion by Davis, second by Bolen, to table. All aye.

Discussion, consideration, and possible action to approve or approve as amended to open, accept/deny, and possibly award *Bid* #25-17, purchasing one or more, 2022 or newer, motor graders with a financing option. The following bids opened and accepted:

C.L. Boyd Co. INC 2022 John Deere 672 motor grader, \$240,000.00 736 hrs.

C.L. Boyd Co. INC 2022 John Deere 672 motor grader, \$240,000.00 1025 hrs. The warranty is up to 3,000 hours or 12-27-2025 and additional warranty can be bought at that time.

Financing option was provided from Vision Bank of Ada at 4.79% with no money down for sixty months \$4488.12 and eighty-four months \$3355.12.

Motion by Bolen, second by Davis, to award bid to C.L. Boyd for a 2022 John Deere 672 motor grader with 1,025 hours for \$240,000.00 (for District #3). Financing will be through Vision Bank of Ada for sixty (60) months at 4.79% with a monthly payment of \$4488.12. All aye.

Motion by Davis, second by Bolen, to award bid to C.L. Boyd for a 2022 John Deere 672 Motor grader with 736 hours for \$240,000.00 minus a \$50,000.00 down payment (for District #2). District #2 will be financing the remaining balance of \$190,000.00 through Vision Bank for sixty (60) months at 4.79% with a reconfigured monthly payment of \$3567.27 that reflects the \$50k down payment. All aye.

Motion by Bolen, second by Starns, to approve to let Bid #25-20, outdoor electronic sign for the Agri-Plex (rebid of Bid #25-15 & #25-16). All aye.

Motion by Davis, second by Starns, to approve implementing a new blanket list template to be used by all departments. All aye.

Discussion, consideration, and possible action to approve or approve as amended a zoning letter regarding the property located at 21266 CR 1555. This letter is for Tri-County Indian Nations CDC and concerns the new construction of a home on 1.26 acres:

Starns explained that although the County does not have zoning any longer, the BOCC still wants to know what is happening with it. Motion by Davis, second by Starns, to approve. All aye.

Motion by Starns, second by Bolen, to approve item (c) and table items (a-b) of Pickett VFD's Fire Tax Purchase Requests:

- a. CWM Enterprises, LLC DBA Antlers Motorsports 2025 XD-1500 Polaris Ranger, Sportsman \$45,580.00
- b. CWM Enterprises, LLC DBA Antlers Motorsports 2025 Tandem axle trailer, 83 inches by 14ft \$3800.00
- c. (Amendment) NAPA of Ada battery from \$300.00 to \$322.99 PO #1137

All aye.

Motion by Starns, second by Davis, to approve Byng VFD's Fire Tax Purchase Request:

a. Redline Fire – (6) Founders MT radial tires - \$2163.00

All aye.

Discussion regarding "new business" that was not known about or which could not have been reasonably foreseen prior to the time of posting the agenda in accordance with Title 25 O.S. § 311(A)(9):

Chad Letellier, Emergency MGMT Director, reported there were storms on April 5<sup>th</sup> from Roff to Oil Center, and they will be out assessing today.

Davis stated the stop light at Latta is being forced on him to take care of, but it should not be; it should be the State taking care of it. If the Coca-Cola plant is annexed by the City of Ada, it will push the City limits out there. Krystina Phillips, Assistant District Attorney, will draft an interlocal agreement with the City of Ada in case it is needed.

Motion by Starns, second by Davis, to adjourn. All aye.

## **Board of County Commissioners**

PONTOTOC COUNTY

P.O. Box 1425 • Ada, OK 74821-1425 • (580) 332-8977 • Fax: (580) 332-9509

#### NOTICE OF AWARD

April 14, 2025

CL Boyd 4220 West Reno Avenue Oklahoma City, OK 73107

RE: Bid #25-17, purchase one or more, 2022 or newer, motor graders with a financing option

To Whom It May Concern:

During the Board of County Commissioners' meeting held on April 7, 2025 at 9:00 AM, Bid #25-17 was opened. Pontotoc County has considered the bid you submitted for the above-described work in response to its Advertisement for Bids dated March 20, 2025. You are hereby notified that your bid has been accepted, and you are required by the Terms and Conditions listed on the Invitation to Bid to honor the submission of your bid for:

Two Hundred and Forty Thousand Dollars (\$240,000.00) \*per unit

Pontotoc County Board of Commissioners

Gary Starns, Chairman

