

PLEASE PUBLISH THURSDAY, May 1, 2025

**NOTICE FOR BID #25-22**

The Board of Pontotoc County Commissioners will receive sealed bids for a six-month bid on various items for road maintenance, construction, and asphalt recycling (July 1 – December 31, 2025). This bid will open on June 2, 2025, at the Board of County Commissioners meeting. Bid specification forms may be obtained at the County Commissioners' Office, 100 W 13<sup>th</sup> Street, Room 133, Ada, Oklahoma, or on the County website at [pontotoc.okcounties.org](http://pontotoc.okcounties.org). The Board of County Commissioners reserves the right to reject or accept any or all bids. County bid forms must be used, signed, and notarized. Call 580.332.8977 Ext. 4 for any questions.

Pontotoc

County, Oklahoma

**COUNTY PURCHASING OFFICE**

Pontotoc County Clerk

301 S Broadway Ada, Oklahoma

Phone Number +1 (580) 332-8977

**Invitation to Bid**

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE  
RELATING TO SUBMISSION OF THIS BID.  
Notarized Affidavit completions and signature required on reverse side.

Date Issued Apr 28, 2025

Page 1 of 10

**BID NUMBER**

#25-22

**BID CLOSING DATE AND HOUR**

June 2, 2025 9:00 AM

**REQUIRED DELIVERY DATE**

(Days after award of Purchase Order)

**Date of Delivery****TERMS**

--	--

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
			<p>Six-Month bid on various items for road maintenance, construction, and asphalt recycling (July 1, 2025 - December 31, 2025).</p> <p>Specifications for bid are attached.</p> <p>Department: Pontotoc County Commissioners Office Hours: 8:00 AM - 4:00 PM Contact: Gary Starns/BOCC Chairman 580.310.5163 Return Bids To: Pontotoc County Clerk 301 S Broadway * Ada, OK 74820 or PO BOX 1425 * Ada, OK 74821-1425</p> <p>Instructions:</p> <ol style="list-style-type: none"> <li>1. Please write sealed bid #25-22 on the outside of the envelope.</li> <li>2. Only bids submitted on our original Six Months Bid specifications will be accepted. Therefore, if you return your bid information on a separate document it WILL NOT be accepted. Product bid MUST be placed in the appropriate category as well.</li> <li>3. Invitation to Bid form must be notarized and original bid form submitted.</li> <li>4. Please verify notarization has been correctly and fully executed. Failure to do so will result in rejection of bid. See item #7 under Terms and Conditions.</li> </ol> <p>The Board of Pontotoc County Commissioners reserve the right to accept or reject any or all bids.</p>		

## TERMS and CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, Pontotoc  
County Courthouse, Ada \_\_\_\_\_, Oklahoma, at the time and date shown on the  
invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and  
closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Pontotoc \_\_\_\_\_ County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement  
of non-collusion. A form is supplied below.
8. Bids will be firm until December 31, 2025(Date)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say the he (she) is the agent authorized by the bidder  
to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of  
freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as  
to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions  
between bidders and any state official concerning exchange of money or other thing of value for special consideration in the  
letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or  
employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the  
procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this \_\_\_\_\_ day

of \_\_\_\_\_, 20 \_\_\_\_\_ (SEAL)

Firm: \_\_\_\_\_

My commission expires \_\_\_\_\_

Signed by: \_\_\_\_\_  
(Manual Signature of Undersigned)

Address: \_\_\_\_\_

Phone: \_\_\_\_\_

\_\_\_\_\_  
NOTARY PUBLIC (CLERK OR JUDGE)

Zip: \_\_\_\_\_

*In accordance with 62 O.S. § 310.9*

NOTE: Other terms and conditions can be added at the discretion of the county officers.

**Bid #25-22 - Pontotoc County Six-Month Bid**

**Specifications**

**July 1, 2025 through December 31, 2025**

Vendors **MUST** only list a bid amount for the items/materials below. **DO NOT MARK THROUGH OR ALTER OUR SPECIFICATIONS** and list your own. **THEY WILL NOT BE ACCEPTED.** If you have a different or new product, you may contact the Pontotoc County Commissioners and request to have it on the next six months' bid specification list.

<u>ITEM - MATERIALS</u>				
<u>DIESEL EXHAUST FLUID (DEF)</u>				
55-gallon				
bulk				
<u>OILS</u>				
55-gallon				
bulk				
<u>HYDRAULIC OIL</u>				
55-gallon				
bulk				
<u>TRANS HYDRAULIC OIL</u>				
55-gallon				
bulk				
<u>DEXTRON MERTRON</u>				
55-gallon				
bulk				
<u>READY MIX CONCRETE</u>	<u>PER CUBIC YARD</u>			
3,000 PSI				
4,000 PSI				
4,500 PSI				
minimum initial order				
additional charges				
<u>ASPHALT</u>	<u>JOB SITE PER TON</u>	<u>JOB SITE PER BAG</u>	<u>REFINERY PER TON</u>	<u>REFINERY PER BAG</u>
type c				
type b				
cold mix				
polymer mod cold mix				
minimum initial order				
delivery charge				

ROAD STABILIZATION	PER GALLON IN TOTE	PER GALLON IN BUCKET		
chemical				
ROCK LIMESTONE	QUARRY-FOB: PER TON	QUARRY-FOB: PER TON (for second location if applicable)		
3/8" chips				
5/8" chips				
5/8" c-rock				
1/2" chips				
1/2" crusher run				
3/4" crusher run				
1" crusher run				
1 1/2" crusher run				
1 1/2" crusher run blended with decomposed granite				
5/8" mill run				
3/4" mill run				
1 1/4" mill run				
1 1/2" mill run				
3" grizzly				
4" grizzly				
6" clean surge				
12" rip rap				
18" or larger rip rap				
1 1/2" limestone base mat				
1 1/2" ODOT base type A				
screenings				
ROCK LIMESTONE WASHED CHIPS	QUARRY-FOB: PER TON	QUARRY-FOB: PER TON (for second location if applicable)		
3/8"				
5/8"				
5/8" D rock				
5/8" to 2" mix washed rock				
1/2"				
GRANITE	QUARRY-FOB: PER TON	QUARRY-FOB: PER TON (for second location if applicable)		
pit run				

<u>SAND</u>	<u>10-WHEEL</u>	<u>18-WHEEL</u>	<u>PER TON/YARD</u>	
sand				
select fill				
top soil				
sandy loam				
class A				
<u>SHALE</u>	<u>6-WHEEL</u>	<u>10-WHEEL</u>	<u>18-WHEEL</u>	
<u>CHUNK</u>				
chunk/shot rock				
<u>CRUSHED</u>				
1" to 2" clean				
2" to 4" clean				
<u>SCREENED</u>				
1" minus				
2" minus				
<u>STRIPING (4 INCH)</u>	<u>PAINT PER FT.</u>	<u>THERMAPLASTIC PER FT.</u>	<u>MULTI-POLY PER FT.</u>	
5000' or less				
5000' or more				
<u>ROAD CONSTRUCTION</u>	<u>PER MILE</u>	<u>PER DAY</u>		
chip sealing service				
minimum				
<u>ROADSIDE VEGETATION MGMT CONTROL THROUGH HERBICIDE APPLICATION</u>	<u>PER ACRE</u>			
roadside vegetation application rate				
aerial (UAV) vegetation application rate				
<u>SPIRAL TIN HORNS</u>	<u>GALVANIZED</u>	<u>ALUMINIZED</u>	<u>CORRUGATION</u>	
<u>12 GAUGE</u>				
84"				
90"				
96"				
102"				
3' flat bottom				
<u>14 GAUGE</u>				
84"				
90"				
96"				
102"				
3' flat bottom				

<u>SPRIAL TIN HORNS</u>	<u>GALVANIZED</u>	<u>ALUMINIZED</u>	<u>CORRUGATION</u>	
<u>16 GAUGE</u>				
12"				
15"				
18"				
24"				
30"				
36"				
42"				
60"				
66"				
72"				
78"				
oval tin horns 3x1				
oval tin horns 3x2				
<b>CORRUGATED POLYPROPYLENE PIPE</b>				
13 ft. & 20 ft. (30 ft. plain end only) lengths				
<u>AASHTO M330 -</u> <u>Dual Wall HP STORM GRAY PIPE</u>	<u>POLYPROPYLENE</u> <u>PER LF.</u>	<u>COUPLER</u> <u>EACH</u>		
12"				
15"				
18"				
21"				
24"				
30"				
36"				
42"				
48"				
60"				
minimum delivery				
<b>CORRUGATED HDPE (HIGH DENSITY POLYETHYLENE) PIPE</b>				
10 ft., 20 ft., & 24 ft. (30 ft. plain end only) lengths				
<u>AASHTO M294 -</u> <u>DUAL WALL N-12 BLACK PIPE</u>	<u>HDPE</u> <u>PER LF.</u>	<u>COUPLER</u> <u>EACH</u>		
12"				
15"				
18"				
24"				
30"				
36"				
42"				
48"				
60"				
minimum delivery				

<u>USED STEEL PIPE</u>	<u>NEW PER FT.</u>	<u>USED PER FT.</u>		
2"				
6"				
12"				
14"				
16"				
18"				
20"				
22"				
26"				
<u>REBAR</u>	<u>NEW PER FT.</u>	<u>USED PER FT. (if applicable)</u>		
1/2"				
5/8"				
3/4"				
<u>DECKING</u>	<u>NEW</u>	<u>USED (if applicable)</u>		
22-gauge				
<u>INTERLOCK SHEET PILE</u>	<u>NEW PER SQ. FT.</u>	<u>USED PER SQ. FT. (if applicable)</u>		
black 10-gauge				
galvanized 10-gauge				
<u>PIPE PILING</u>	<u>NEW PER FT.</u>	<u>USED PER FT. (if applicable)</u>		
7" 3/8"				
7 5/8" 3/8"				
8 5/8" 5/16"				
9 5/8" 3/8"				
10 3/4" 3/8"				
<u>BEAMS</u>	<u>NEW PER LB.</u>	<u>USED PER LB. (if applicable)</u>		
"I"				
"I" WF (weight per foot)				
"H"				
"H" WF (weight per foot)				

<u>STRUCTURAL STEEL</u>	<u>NEW</u> <u>PER LB.</u>	<u>USED</u> <u>PER LB.</u> <u>(if applicable)</u>		
other				
<u>USED TANK CARS</u>				
<u>1/4" WALL THICKNESS</u>	<u>NEW</u>	<u>USED</u> <u>(if applicable)</u>		
3 1/2'				
4'				
4 1/2'				
5'				
5 1/2'				
6'				
6 1/2'				
7'				
7 1/2'				
8'				
8 1/2'				
9'				
10'				
10 1/2'				
<u>5/16" WALL THICKNESS</u>	<u>NEW</u>	<u>USED</u> <u>(if applicable)</u>		
3 1/2'				
4'				
4 1/2'				
5'				
5 1/2'				
6'				
6 1/2'				
7'				
7 1/2'				
8'				
8 1/2'				
9'				
10'				
10 1/2'				

<u>USED TANK CARS</u>				
<u>3/8" WALL THICKNESS</u>		<u>NEW</u>	<u>USED</u> (if applicable)	
	3 1/2'			
	4'			
	4 1/2'			
	5'			
	5 1/2'			
	6'			
	6 1/2'			
	7'			
	7 1/2'			
	8'			
	8 1/2'			
	9'			
	10'			
	10 1/2'			
<u>1/2" WALL THICKNESS</u>		<u>NEW</u>	<u>USED</u> (if applicable)	
	7'			
	7 1/2'			
	8'			
	8 1/2'			
	9'			
	9 1/2'			
	10'			
	10 1/2'			
<u>5/8" WALL THICKNESS</u>		<u>NEW</u>	<u>USED</u> (if applicable)	
	6'			
	7'			
	8'			
	9'			
	10'			
<u>HALF TANKS</u>		<u>NEW</u>	<u>USED</u> (if applicable)	
	8'			
	9'			
	10'			

[illegible]