PLEASE PUBLISH THURSDAY, June 11, 2025

NOTICE FOR BID #25-26 (rebid of #25-05)

The Board of Pontotoc County Commissioners will receive sealed bids to purchase a hiflow alternating commercial water softener with a brine tank for the Justice Center. This bid will open on June 30, 2025, at the Board of County Commissioners meeting. Bid specification forms may be obtained at the County Commissioners Office, 100 W 13th Street, Room 133, Ada, Oklahoma, or on the County website at pontotoc.okcounties.org. The Board of County Commissioners reserves the right to reject or accept any or all bids. County bid forms must be used, signed, and notarized.

LSA2	1-4040	(2012	1

Pontotoc	County, Oklahoma	
COUNTY PURCHASING OFFICE		
Pontotoc County Clerk		
301 S Broadway	Ada	, Oklahoma
Phone Number +1 (580) 332-1425		5 3

Invitation to Bid

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE RELATING TO SUBMISSION OF THIS BID. Notarized Affidavit completions and signature required on reverse side.

Jun 9, 2025 Date Issued Page of 3

REQUIRED DELIVERY DATE BID CLOSING DATE AND HOUR BID NUMBER 9:00 AM #25-26 (rebid of #25-05) June 30, 2025

TERMS

	(Days after award of Purchase Order)
rerms	Date of Delivery

ITEM	QUANTITY	UNIT OF	DESCRIPTION	UNIT PRICE	TOTAL
ITEM	QUANTITY		Purchase a hi-flow alternating commercial water softener with a brine tank. Specifications for bid are attached. Department: Pontotoc County Sheriff - Justice Center Office Hours: 8:00 AM - 4:00 PM Contact: Connie Smith Telephone: 580.332.4169 Return Bids To: Pontotoc County Clerk 301 S Broadway * Ada, OK 74820 or PO Box 1425 *Ada, OK 74821-1425 Instructions: 1. Please write sealed bid #25-26 on the outside of the envelope. 2. Vendor's bid amount must be listed on the front of this form. 3. Invitation to Bid form must be notarized and original bid form submitted. 4. Please verify notarization has been correctly and fully executed. Failure to do so will result in rejection of bid. See item #7 under	UNIT PRICE	TOTAL
			Terms and Conditions. The Board of Pontotoc County Commissioners reserve the right to accept or reject any or all bids.		

TERMS and CONDITIONS

1.	Sealed bids will be opened in the C	ommissioner's C	onference Room,	Pontotoc
	County Courthouse, Ada			, Oklahoma, at the time and date shown on the
	invitation to bid form.			
2.	Late bids will not be considered. Bi closing date written on the outside			lopes (one to an envelope) with bid number and
3.	Unit prices will be guaranteed corre	ect by the bidder		
4.	Firm prices will be F.O.B. destinatio	n.		
5.	Purchases by Pontotoc	_	County, (Oklahoma, are not subject to state or federal taxes.
6.	This bid is submitted as a legal offe	r and any bid wh	en accepted by th	e County constitutes a firm contract.
7.	Oklahoma laws require each bidde of non-collusion. A form is supplied	r submitting a bid d below.	d to a county for g	oods or services to furnish a notarized sworn statement
8.	Bids will be firm until	(Date)		
to su freed to qu betw lettin empl	bmit the above bid. Affiant further som of competition by agreement to antity; quality or price in the prospece of bidders and any state official cores of a contract; that the bidder/cont	tates that the bio bid at a fixed pri ctive contract or ncerning exchan ractor has not pa ther entity) any n	Ider has not been a ce or to refrain froi any other terms of ge of money or otl id, given or donat	ay the he (she) is the agent authorized by the bidder a party to any collusion among bidders in restraint of m bidding; or with any state official or employee as said prospective contract; or in any discussions her thing of value for special consideration in the ed or agreed to pay, give or donate to any officer or ng of value, either directly or indirectly in the
Subsc	ribed and sworn before thisda	,		
of	, 20	(SEAL)		
		Firm:		
Му со	mmission expires	Signed by:	(Manual Signature of Undersi	gned)
		Address:	-	Phone:
	NOTARY PUBLIC (CLERK OR JUDGE)	-		Zip:

In accordance with 62 O.S. § 310.9

NOTE: Other terms and conditions can be added at the discretion of the county officers.

CSM Water Softener

Softener System CSM 450-3"-DF 30in Duplex Non-Code Tank with Prog. Flow, 3" Flow Meters, Aqua-Sensors to Regenerate based on varying water hardness, 30" X 50" Brine System

Design Based On Peak Flow of 200 bed jail occupancy maximum capacity
Based on Input Conditions Each Tank Will Regenerate Every 18531 Gallons Treated
Based on Daily Usage the Regeneration Frequency Per Tank is Every 1 Days

Input Parameters:

Water Hardness, gpg	: 24	Flow Rate, gpm	: 165
Soluble Iron, mg/l as ion	0	Daily Water Usage, gpd	: 35000
Eff. Hardness, gpg @ 100% Cap.	24	Salt Dosage, lbs/fts	. 15
Daily Capacity Req'd, kgr	: 840		

The CSM will Provide (Each Unit):

Design Flow, gpm	: 82.5 @ 4.62 psi loss
Continuous Flow, gpm	: 135 @ 15 psi loss
Peak Flow, gpm	192 @ 25 psi loss

Min. Recommended Flow, gpm	: 9.9
Design Softening Rate, gpm/ft ²	: 16.77
Resin Quantity, ft ³	: 15

Unit Capacity, kgr : 445 @ 225 lbs Salt Maximum Capacity, kgr : 450 @ 225 lbs Salt Minimum Capacity, kgr : 300 @ 90 lbs Salt

Tank Size, in. $: 30 \times 60$ Tank Area, ft² : 4.92Freeboard, in. : 21

Regeneration Data (Each Unit):

Brine Tank Size, in.	: 30 x 50		
Max. Salt Load, lbs	: 1400	Backwash Flow Req'd, gpm	: 20
Number of Regens/Salt Fill	: 6.22	Recond. Water Req'd, gals	: 600
Salt Usage, Ibs/Regen	: 225	Total Regen Time, min.	: 90

System Requirements:

Operating Press., psi	:30 - 100	Voltage	: 120 Volts AC, 50 / 60 Hz, 1 Ph
Operating Temp., °F Pipe Conn, in NPT	: 40 - 120	Full Load, Amps	:<1
Inlet	: 3		

Inlet : 3
Outlet : 3
Drain : 1.25
Weight, Ibs...

Shipping : 3980 Operating : 9600

Overall Dimensions, in....

Width x Height x Depth 114 x 85 x 44