PLEASE PUBLISH THURSDAY, October 9, 2025

NOTICE FOR BID #26-05

The Board of Pontotoc County Commissioners will receive sealed bids for a six-month bid on various items for road maintenance, construction, and asphalt recycling (January 1, 2026 – June 30, 2026). This bid will open on November 3, 2025, at the Board of County Commissioners meeting. Bid specification forms may be obtained at the County Commissioners' Office, 100 W 13th Street, Room 133, Ada, Oklahoma, or on the County website at pontotoc.okcounties.org. The Board of County Commissioners reserves the right to reject or accept any or all bids. County bid forms must be used, signed, and notarized. Call 580.332.8977 Ext. 4 for any questions.

5 A & I	1-4040	(201	21

Pontotoc	County, Oklahoma	
COUNTY PURCHAS	SING OFFICE	
Pontotoc County	Clerk	
301 S Broadway	Ada	, Oklahoma
Phone Number	+1 (580) 332-8977	===\(\bar{\chi}\)
		

Invitation to Bid

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE RELATING TO SUBMISSION OF THIS BID.

Notarized Affidavit completions and signature required on reverse side.

Oct 6, 2025 Date Issued

of 9

REQUIRED DELIVERY DATE

Page

BI	D NUMBER	
#2	26-05	

BID CLOSING DATE AND HOUR November 3, 2025

9:00 AM

(Days after award of Purchase Order) **Date of Delivery**

TERMS

ITEM	QUANTITY	UNIT OF	DESCRIPTION	UNIT PRICE	TOTAL
			A Six-Month bid of various items for road maintenance, construction,		
			and asphalt recycling (January 1, 2026 - June 30, 2026).		
			Specifications for bid are attached.		
			Department: Pontotoc County Commissioners		
			Office Hours: 8:00 AM - 4:00 PM		
			Contact: Gary Starns - BOCC Chairman 580.310.5163	1 1	
			Return Bids To: Pontotoc County Clerk 301 S Broadway * Ada, OK 74820 or		
			PO BOX 1425 * Ada, OK 74821-1425	1 1	
			PO BOX 1423 Ada, OK 74621-1423		
			PLEASE READ & FOLLOW ALL INSTRUCTIONS:		
			1. Please write sealed BID #26-05 on the outside of the envelope.		
			Only bids submitted on our original Six-Month Bid specifications will be accepted. Therefore, if you return your bid information on a separate document it WILL NOT be accepted. Product bid MUST be placed in the appropriate category as well.		
			3. Invitation to Bid form MUST BE SIGNED BY THE VENDOR IN FRONT OF A NOTARY and the original signed and notarized bid form submitted.		
			The Board of Pontotoc County Commissioners reserve the right to accept or reject any or all bids.		

TERMS and CONDITIONS

1.	Sealed bids will be opened i	n the Commiss	ioner's Conference Roor		he Pontotoc County Clerk's Office
	, located	d at 301 S Broad	dway	Ada	, Oklahoma, at the time and date shown on the
	invitation to bid form.				_
2.	Late bids will not be considerable closing date written on the c	ered. Bids must outside of the e	be received in sealed e nvelope.	nvelope	s (one to an envelope) with bid number and
3.	Unit prices will be guarantee	ed correct by th	e bidder.		
4.	Firm prices will be F.O.B. des	tination.			
5.	Purchases by Pontotoc		Count	y, Oklah	noma, are not subject to state or federal taxes.
6.	This bid is submitted as a leg	gal offer and an	y bid when accepted by	the Co	unty constitutes a firm contract.
7.	Oklahoma laws require each of non-collusion. A form is s	bidder submit upplied below	ting a bid to a county fo	r goods	s or services to furnish a notarized sworn statement
8.	Bids will be firm until June 3	0, 2026 (D	ate)		
to sulfreed to qui betwee lettin emple	omit the above bid. Affiant fu om of competition by agreen antity; quality or price in the p een bidders and any state offi g of a contract; that the bidde	orther states that nent to bid at a prospective con icial concerning er/contractor ha a (or other ent	at the bidder has not be fixed price or to refrain ntract or any other terms g exchange of money or as not paid, given or do ity) any money or other	en a par from bion of said other the nated o	the he (she) is the agent authorized by the bidder ty to any collusion among bidders in restraint of dding; or with any state official or employee as prospective contract; or in any discussions hing of value for special consideration in the r agreed to pay, give or donate to any officer or f value, either directly or indirectly in the
Subscr	ibed and sworn before this	day			
of		, 20 (SEA	L)		
		Firm	:		
My cor	nmission expires	Sign	ed by:(Manual Signature of Ur	dersigned)	
		Add	ress:		Phone:
	NOTARY PUBLIC (CLERK OR JUDGE)	======			Zip:

In accordance with 62 O.S. § 310.9

NOTE: Other terms and conditions can be added at the discretion of the county officers.

(Revised 2/12) Page 2

Bid #26-05 - Pontotoc County Six-Month Bid Specifications January 1, 2026 through June 30, 2026

Vendors MUST only list a bid amount for the items/materials below. DO NOT MARK THROUGH OR ALTER OUR SPECIFICATIONS and list your own.

THEY WILL NOT BE ACCEPTED. If you have a different or new product, you may contact the Pontotoc County Commissioners and request to have it on the next six months' bid specification list.

ITEM - MATERIALS				
READY MIX CONCRETE	PER CUBIC YARD			
3,000 PSI				
4,000 PSI				
4,500 PSI				
minimum initial order				
additional charges				
ASPHALT	JOB SITE PER TON	JOB SITE PER BAG	REFINERY PER TON	REFINERY PER BAG
type c				
type b				
cold mix				
polymer mod cold mix				
minimum initial order				
delivery charge				
ROAD STABILIZATION	PER GALLON IN TOTE	PER GALLON IN BUCKET		
chemical				
ROCK LIMESTONE	QUARRY-FOB: PER TON	QUARRY-FOB: PER TON (for second location if applicable)		
ROCK LIMESTONE 3/8" chips	QUARRY-FOB: PER TON	PER TON		
ROCK LIMESTONE 3/8" chips 5/8" chips	QUARRY-FOB: PER TON	PER TON		
3/8" chips	QUARRY-FOB: PER TON	PER TON		
3/8" chips 5/8" chips	QUARRY-FOB: PER TON	PER TON		
3/8" chips 5/8" chips 5/8" c-rock	QUARRY-FOB: PER TON	PER TON		
3/8" chips 5/8" chips 5/8" c-rock 1/2" chips	QUARRY-FOB: PER TON	PER TON		
3/8" chips 5/8" chips 5/8" c-rock 1/2" chips	QUARRY-FOB: PER TON	PER TON		
3/8" chips 5/8" chips 5/8" c-rock 1/2" chips 1/2" crusher run 3/4" crusher run	QUARRY-FOB: PER TON	PER TON		
3/8" chips 5/8" chips 5/8" c-rock 1/2" chips 1/2" crusher run 3/4" crusher run 1" crusher run	QUARRY-FOB: PER TON	PER TON		

V	QUARRY-FOB:	QUARRY-FOB:		
ROCK LIMESTONE	PER TON	PER TON (for second location if applicable)		
3/4" mill run				
1 1/4" mill run				
1 1/2" mill run				
3" grizzly				
4" grizzly				
6" clean surge				
12" rip rap				
18" or larger rip rap				
1 1/2" limestone base mat				
1 1/2" ODOT base type A				
screenings				
	QUARRY-FOB:	QUARRY-FOB: PER TON		
ROCK LIMESTONE WASHED CHIPS	PER TON	(for second location if applicable)		
3/8"				
5/8"				
5/8" D rock				
5/8" to 2" mix washed rock				
1/2"				
	QUARRY-FOB:	QUARRY-FOB: PER TON		
GRANITE	PER TON	(for second location if applicable)		
pit run				
SAND	10-WHEEL	18-WHEEL	PER TON/YARD	
sand				
select fill				
top soil				
sandy loam				
class A				
SHALE	6-WHEEL	10-WHEEL	18-WHEEL	
CHUNK				
chunk/shot rock				
CRUSHED				
1" to 2" clean				
2" to 4" clean				
SCREENED				
1" minus				
2" minus				
	PAINT	THERMAPLASTIC	MULTI-POLY	
STRIPING (4 INCH)	PER FT.	PER FT.	PER FT.	
5000' or less				
5000' or more	4 of 9	, J		

ROAD CONSTRUCTION	PER MILE	PER DAY		
chip sealing service				
minimum				
road grinding service				
minimum				
ROADSIDE VEGETATION MGMT CONTROL THROUGH HERBICIDE APPLICATION	PER ACRE			
roadside vegetation application rate				
aerial (UAV) vegetation application rate				and the last we
SPIRAL TIN HORNS	GALVANIZED	ALUMINIZED	CORRUGATION	
12 GAUGE				
84"				
90"				
96"				
102"				
3' flat bottom				
14 GAUGE				
84"				
90"				
96"				
102"				
3' flat bottom				
16 GAUGE				
12"				
15"				
18"				
24"				
30"				
36"				
42"				
60"				
66"				
72"				
78"				
oval tin horns 3x1				
oval tin horns 3x2				

CORRUGATED POLYPROPYLENE PIPE			
13 ft. & 20 ft. (30 ft. plain end only) lengths AASHTO M330 - Dual Wall HP STORM GRAY PIPE	POLYPROPYLENE PER LF.	COUPLER EACH	
12"			
15"			
18"			
21"			
24"			
30"			
36"			
42"			
48"			
60"			
minimum delivery			
CORRUGATED HDPE (HIGH DENSITY POLYETHYLENE) PIPE			
10 ft., 20 ft., & 24 ft., (30 ft. plain end only) lengths AASHTO M294 -	HDPE	COUPLER	
DUAL WALL N-12 BLACK PIPE	PER LF.	EACH	
12"			
15"			
18"			
24"			
30"			
36"			
42"			
48"			
60"			
minimum delivery			
USED STEEL PIPE	<u>NEW</u> PER FT.	<u>USED</u> PER FT.	
USED STEEL FIFE 2"	PERTI.	LENTI	
6"			
12"			
14"			
16"			
18"			
20"			
22"			
26"		(1075	
REBAR	<u>NEW</u> PER FT.	USED PER FT. (if applicable)	
1/2"		for applicable)	
5/8" 3/4"	6 of 9		

DECKING	NEW	USED (if applicable)	
22-gauge			
22 gaoge	NEW CONTRACTOR OF THE PARTY OF	USED	
INTERLOCK SHEET PILE	<u>NEW</u> PER SQ. FT.	PER SQ. FT. (if applicable)	
black 10-gauge			
galvanized 10-gauge			
PIPE PILING	<u>NEW</u> PER FT.	USED PER FT. (if appilcable)	
7" 3/8"			
7 5/8" 3/8"			
8 5/8" 5/16"			
9 5/8" 3/8"			
10 3/4" 3/8"			
BEAMS	<u>NEW</u> PER LB.	USED PER LB. (if applicable)	
nta.			
"I" WF (weight per foot)			
"H"			
"H" WF (weight per foot)			
i vvi (weight per loot)			
	<u>NEW</u> PER LB.	USED PER LB. (if applicable)	
STRUCTURAL STEEL other	<u>NEW</u> PER LB.	PER LB.	
STRUCTURAL STEEL other	NEW PER LB.	PER LB.	
STRUCTURAL STEEL other	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL other USED TANK CARS 1/4" WALL THICKNESS	NEW PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL other USED TANK CARS 1/4" WALL THICKNESS 3 1/2'	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4'	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4' 4 1/2'	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4' 4 1/2' 5'	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4' 4 1/2' 5' 5 1/2'	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4' 4 1/2' 5' 5 1/2'	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4' 4 1/2' 5' 5 1/2' 6' 6 1/2'	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4' 4 1/2' 5' 5 1/2' 6' 6 1/2' 7'	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4' 4 1/2' 5' 5 1/2' 6' 6 1/2' 7 1/2'	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL Other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4' 4 1/2' 5' 5 1/2' 6' 6 1/2' 7 1/2'	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL Other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4' 4 1/2' 5' 5 1/2' 6' 6 1/2' 7' 7 1/2' 8' 8 1/2'	PER LB.	PER LB. (if applicable)	
STRUCTURAL STEEL other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4' 4 1/2' 5' 5 1/2' 6' 6 1/2' 7 1/2' 8' 8 1/2' 9'	NEW	PER LB. (if applicable)	
STRUCTURAL STEEL Other USED TANK CARS 1/4" WALL THICKNESS 3 1/2' 4' 4 1/2' 5' 5 1/2' 6' 6 1/2' 7' 7 1/2' 8' 8 1/2'	NEW	PER LB. (if applicable)	

USED TANK CARS		LIEED	
5/16" WALL THICKNESS	NEW	USED (if applicable)	
3 1/2'			
4'			
4 1/2'			
5'			
5 1/2'			
6'			
6 1/2'			
7'			
7 1/2'			
8'			
8 1/2'			
9'			
10'			
10 1/2'	NEW	USED (if applicable)	
3/8" WALL THICKNESS	INEAA	(if applicable)	
3 1/2'			
4'			
4 1/2'			
5'			
5 1/2'			
6'			
6 1/2'			
7'			
7 1/2'			
8'			
8 1/2°			
9'			
10'			
10 1/2'			
1/2" WALL THICKNESS	NEW	<u>USED</u> (if applicable)	
7'		(ii applicable)	
7 1/2'			
8'			
8 1/2'			
9'			
9 1/2'			
10'			
10 1/2'			

USED TANK CARS			
5/8" WALL THICKNESS	NEW	USED (if applicable)	
6'			
7'			
8'			
9'			
10'			
HALF TANKS	NEW	USED (if applicable)	
8'		Паррисана	
9,	_		
10'			
10			
REFLECTOR POSTS			
green delin 6'			
galvanized 6'			
GRADER BLADES	DELIVERED	PICKED UP	
5/8" X 6" X 6' high carbon			
5/8" X 6" X 7' high carbon			
5/8" X 8" X 7' high carbon			
3/4" X 8" X 7' high carbon			
5/8" X 6" X 6' through carbon			
5/8" X 6" X 7' through carbon			
5/8" X 8" X 7' through carbon			
3/4" X 8" X 7' through carbon			
AGRICULTURE MATERIAL	Amount Per Bag	Amount Per Bulk/Pallet	
Pine Shavings			