

PLEASE PUBLISH THURSDAY, April 23, 2026

NOTICE FOR BID #26-12

The Board of Pontotoc County Commissioners will receive sealed bids for a six-month bid for various items related to road maintenance, construction, and asphalt recycling (July 1 – December 31, 2026). This bid will open at 9:00 AM on May 18, 2026, at the Board of County Commissioners meeting. Bid specification forms may be obtained at the County Commissioners' Office, 100 W 13<sup>th</sup> Street, Room 133, Ada, Oklahoma, or on the County website at [pontotoc.okcounties.org](http://pontotoc.okcounties.org). The Board of County Commissioners reserves the right to reject or accept any or all bids. County bid forms must be used, signed, and notarized. Call 580.332.8977 Ext. 4 for any questions.

Pontotoc County, Oklahoma

**COUNTY PURCHASING OFFICE**

Pontotoc County Clerk

301 S Broadway Ada, Oklahoma

Phone Number +1 (580) 332-8977

**Invitation to Bid**

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE  
RELATING TO SUBMISSION OF THIS BID.  
Notarized Affidavit completions and signature required on reverse side.

Date Issued Apr 20, 2026

Page 1 of 9

**BID NUMBER**

#26-12

**BID CLOSING DATE AND HOUR**

May 18, 2026 9:00 AM

**REQUIRED DELIVERY DATE**

(Days after award of Purchase Order)

**Date of Delivery**

**TERMS**

--	--

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
			<p>A Six-Month bid for various items related to road maintenance, construction, and asphalt recycling (July 1, 2026 - December 31, 2026).</p> <p>Specifications for bid are attached.</p> <p>Department: Pontotoc County Commissioners Office Hours: 8:00 AM - 4:00 PM Contact: Danny Davis - BOCC Chairman 580.272.8220 Return Bids To: Pontotoc County Clerk 301 S Broadway * Ada, OK 74820 or PO BOX 1425 * Ada, OK 74821-1425</p> <p>PLEASE READ &amp; FOLLOW ALL INSTRUCTIONS:</p> <ol style="list-style-type: none"> <li>1. Please write sealed BID #26-12 on the outside of the envelope.</li> <li>2. Only bids submitted on our original Six-Month Bid specifications will be accepted. Therefore, if you return your bid information on a separate document it WILL NOT be accepted. Product bid MUST be placed in the appropriate category as well.</li> <li>3. Invitation to Bid form MUST BE SIGNED BY THE VENDOR IN FRONT OF A NOTARY and the original signed and notarized bid form submitted.</li> </ol> <p>The Board of Pontotoc County Commissioners reserve the right to accept or reject any or all bids.</p>		

**TERMS and CONDITIONS**

1. Sealed bids will be opened in the Commissioner's Conference Room, \_\_\_\_\_ in the Pontotoc County Clerk's Office located at 301 S Broadway \_\_\_\_\_, Ada, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Pontotoc \_\_\_\_\_ County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until December 31, 2026(Date)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say the he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this \_\_\_\_\_ day  
of \_\_\_\_\_, 20 \_\_\_\_\_ (SEAL)

Firm: \_\_\_\_\_

My commission expires \_\_\_\_\_

Signed by: \_\_\_\_\_  
(Manual Signature of Undersigned)

Address: \_\_\_\_\_ Phone: \_\_\_\_\_

\_\_\_\_\_  
NOTARY PUBLIC (CLERK OR JUDGE)

Zip: \_\_\_\_\_

*In accordance with 62 O.S. § 310.9*

NOTE: Other terms and conditions can be added at the discretion of the county officers.

**Bid #26-12 - Pontotoc County Six-Month Bid Specifications**

**July 1, 2026 through December 31, 2026**

Vendors **MUST** only list a bid amount for the items/materials below. **DO NOT MARK THROUGH OR ALTER OUR SPECIFICATIONS** and list your own. **THEY WILL NOT BE ACCEPTED.** If you have a different or new product, you may contact the Pontotoc County Commissioners and request to have it on the next six months' bid specification list.

<b>ITEM - MATERIALS</b>				
<b>READY MIX CONCRETE</b>	<b>PER CUBIC YARD</b>			
3,000 PSI				
4,000 PSI				
4,500 PSI				
minimum initial order				
additional charges				
<b>ASPHALT</b>	<b>JOB SITE PER TON</b>	<b>JOB SITE PER BAG</b>	<b>REFINERY PER TON</b>	<b>REFINERY PER BAG</b>
type c				
type b				
cold mix				
polymer mod cold mix				
minimum initial order				
delivery charge				
<b>ROAD STABILIZATION</b>	<b>PER GALLON IN TOTE</b>	<b>PER GALLON IN BUCKET</b>		
chemical				
<b>ROCK LIMESTONE</b>	<b>QUARRY-FOB: PER TON</b>	<b>QUARRY-FOB: PER TON <i>(for second location if applicable)</i></b>		
3/8" chips				
5/8" chips				
5/8" c-rock				
1/2" chips				
1/2" crusher run				
3/4" crusher run				
1" crusher run				
1 1/2" crusher run				
1 1/2" crusher run blended with decomposed granite				
5/8" mill run				

<b>ROCK LIMESTONE</b>	<b><u>QUARRY-FOB: PER TON</u></b>	<b><u>QUARRY-FOB: PER TON</u></b> <i>(for second location if applicable)</i>		
3/4" mill run				
1 1/4" mill run				
1 1/2" mill run				
3" grizzly				
4" grizzly				
6" clean surge				
12" rip rap				
18" or larger rip rap				
1 1/2" limestone base mat				
1 1/2" ODOT base type A				
screenings				
<b>ROCK LIMESTONE WASHED CHIPS</b>	<b><u>QUARRY-FOB: PER TON</u></b>	<b><u>QUARRY-FOB: PER TON</u></b> <i>(for second location if applicable)</i>		
3/8"				
5/8"				
5/8" D rock				
5/8" to 2" mix washed rock				
1/2"				
<b>GRANITE</b>	<b><u>QUARRY-FOB: PER TON</u></b>	<b><u>QUARRY-FOB: PER TON</u></b> <i>(for second location if applicable)</i>		
pit run				
<b>SAND</b>	<b><u>10-WHEEL</u></b>	<b><u>18-WHEEL</u></b>	<b><u>PER TON/YARD</u></b>	
sand				
select fill				
top soil				
sandy loam				
class A				
<b>SHALE</b>	<b><u>6-WHEEL</u></b>	<b><u>10-WHEEL</u></b>	<b><u>18-WHEEL</u></b>	
<b>CHUNK</b>				
chunk/shot rock				
<b>CRUSHED</b>				
1" to 2" clean				
2" to 4" clean				
<b>SCREENED</b>				
1" minus				
2" minus				
<b>STRIPING (4 INCH)</b>	<b><u>PAINT PER FT.</u></b>	<b><u>THERMAPLASTIC PER FT.</u></b>	<b><u>MULTI-POLY PER FT.</u></b>	
5000' or less				
5000' or more				

<b>ROAD CONSTRUCTION</b>	<b>PER MILE</b>	<b>PER DAY</b>		
chip sealing service				
minimum				
road grinding service				
minimum				
<b>ROADSIDE VEGETATION MGMT CONTROL THROUGH HERBICIDE APPLICATION</b>	<b>PER ACRE</b>			
roadside vegetation application rate				
aerial (UAV) vegetation application rate				
<b>SPIRAL TIN HORNS</b>	<b>GALVANIZED</b>	<b>ALUMINIZED</b>	<b>CORRUGATION</b>	
<b>12 GAUGE</b>				
84"				
90"				
96"				
102"				
3' flat bottom				
<b>14 GAUGE</b>				
84"				
90"				
96"				
102"				
3' flat bottom				
<b>16 GAUGE</b>				
12"				
15"				
18"				
24"				
30"				
36"				
42"				
48"				
60"				
66"				
72"				
78"				
oval tin horns 3x1				
oval tin horns 3x2				

<b>CORRUGATED POLYPROPYLENE PIPE</b> 13 ft. & 20 ft. (30 ft. plain end only) lengths				
<b>AASHTO M330 - Dual Wall HP STORM GRAY PIPE</b>	<b>POLYPROPYLENE PER LF.</b>	<b>COUPLER EACH</b>		
12"				
15"				
18"				
21"				
24"				
30"				
36"				
42"				
48"				
60"				
minimum delivery				

<b>CORRUGATED HDPE (HIGH DENSITY POLYETHYLENE) PIPE</b> 10 ft., 20 ft., & 24 ft., (30 ft. plain end only) lengths				
<b>AASHTO M294 - DUAL WALL N-12 BLACK PIPE</b>	<b>HDPE PER LF.</b>	<b>COUPLER EACH</b>		
12"				
15"				
18"				
24"				
30"				
36"				
42"				
48"				
60"				
minimum delivery				

<b>USED STEEL PIPE</b>	<b>NEW PER FT.</b>	<b>USED PER FT.</b>		
2"				
6"				
12"				
14"				
16"				
18"				
20"				
22"				
26"				

<b>REBAR</b>	<b>NEW PER FT.</b>	<b>USED PER FT. (if applicable)</b>		
1/2"				
5/8"				
3/4"				

<u>DECKING</u>	<u>NEW</u>	<u>USED</u> <u>(if applicable)</u>		
22-gauge				
<u>INTERLOCK SHEET PILE</u>	<u>NEW</u> <u>PER SQ. FT.</u>	<u>USED</u> <u>PER SQ. FT.</u> <u>(if applicable)</u>		
black 10-gauge				
galvanized 10-gauge				
<u>PIPE PILING</u>	<u>NEW</u> <u>PER FT.</u>	<u>USED</u> <u>PER FT.</u> <u>(if applicable)</u>		
7" 3/8"				
7 5/8" 3/8"				
8 5/8" 5/16"				
9 5/8" 3/8"				
10 3/4" 3/8"				
<u>BEAMS</u>	<u>NEW</u> <u>PER LB.</u>	<u>USED</u> <u>PER LB.</u> <u>(if applicable)</u>		
"I"				
"I" WF (weight per foot)				
"H"				
"H" WF (weight per foot)				
<u>STRUCTURAL STEEL</u>	<u>NEW</u> <u>PER LB.</u>	<u>USED</u> <u>PER LB.</u> <u>(if applicable)</u>		
other				
<u>USED TANK CARS</u>	<u>NEW</u>	<u>USED</u> <u>(if applicable)</u>		
<u>1/4" WALL THICKNESS</u>				
3 1/2'				
4'				
4 1/2'				
5'				
5 1/2'				
6'				
6 1/2'				
7'				
7 1/2'				
8'				
8 1/2'				
9'				
10'				
10 1/2'				



<u>USED TANK CARS</u>				
<u>5/16" WALL THICKNESS</u>		<u>NEW</u>	<u>USED</u> <i>(if applicable)</i>	
3 1/2'				
4'				
4 1/2'				
5'				
5 1/2'				
6'				
6 1/2'				
7'				
7 1/2'				
8'				
8 1/2'				
9'				
10'				
10 1/2'				
<u>3/8" WALL THICKNESS</u>		<u>NEW</u>	<u>USED</u> <i>(if applicable)</i>	
3 1/2'				
4'				
4 1/2'				
5'				
5 1/2'				
6'				
6 1/2'				
7'				
7 1/2'				
8'				
8 1/2'				
9'				
10'				
10 1/2'				
<u>1/2" WALL THICKNESS</u>		<u>NEW</u>	<u>USED</u> <i>(if applicable)</i>	
7'				
7 1/2'				
8'				
8 1/2'				
9'				
9 1/2'				
10'				
10 1/2'				

<u>USED TANK CARS</u>				
<u>5/8" WALL THICKNESS</u>	<u>NEW</u>	<u>USED</u> <u>(if applicable)</u>		
6'				
7'				
8'				
9'				
10'				
<hr/>				
<u>HALF TANKS</u>	<u>NEW</u>	<u>USED</u> <u>(if applicable)</u>		
8'				
9'				
10'				
<hr/>				
<u>REFLECTOR POSTS</u>				
green delin 6'				
galvanized 6'				
<hr/>				
<u>GRADER BLADES</u>	<u>DELIVERED</u>	<u>PICKED UP</u>		
5/8" X 6" X 6' high carbon				
5/8" X 6" X 7' high carbon				
5/8" X 8" X 7' high carbon				
3/4" X 8" X 7' high carbon				
5/8" X 6" X 6' through carbon				
5/8" X 6" X 7' through carbon				
5/8" X 8" X 7' through carbon				
3/4" X 8" X 7' through carbon				
<hr/>				
<u>AGRICULTURE MATERIAL</u>	<u>Amount Per</u> <u>Bag</u>	<u>Amount Per</u> <u>Bulk/Pallet</u>		
Pine Shavings				